



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

July 15, 2024

Grant Boyer
Forsyth R-III Schools
178 Panther St
Forsyth, MO 65653

RE: Drinking Water Lead - FORSYTH

Dear Grant Boyer:

Please find enclosed the analytical results for the **99** sample(s) the laboratory received on **6/28/24 10:00 am** and logged in under work order **HG00200**. All testing is performed according to our current TNI accreditations unless otherwise noted. This report cannot be reproduced, except in full, without the written permission of Pace Analytical Services, LLC.

If you have any questions regarding your report, please contact your project manager. Quality and timely data is of the utmost importance to us.

Pace Analytical Services appreciates the opportunity to provide you with analytical expertise. We are always trying to improve our customer service and we welcome you to contact the General Manager, Lisa Grant, with any feedback you have about your experience with our laboratory at 309-683-1764 or lisa.grant@pacelabs.com.

A handwritten signature in black ink, appearing to read "Chenise Lambert-Sykes".

Chenise Lambert-Sykes
Project Manager
(314)432-0550
Chenise.Lambert-Sykes@pacelabs.com



SAMPLE RECEIPT CHECK LIST

Items not applicable will be marked as in compliance

Work Order HG00200

YES	Samples received within temperature compliance when applicable
YES	COC present upon sample receipt
YES	COC completed & legible
YES	Sampler name & signature present
YES	Unique sample IDs assigned
YES	Sample collection location recorded
YES	Date & time collected recorded on COC
YES	Relinquished by client signature on COC
YES	COC & labels match
YES	Sample labels are legible
YES	Appropriate bottle(s) received
YES	Sufficient sample volume received
YES	Sample containers received undamaged
NO	Zero headspace, <6 mm present in VOA vials
NO	Trip blank(s) received
YES	All non-field analyses received within holding times
NO	Short hold time analysis
YES	Current PDC COC submitted
NO	Case narrative provided



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-01
Name: PACCON
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:34
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 08:52	BRS	EPA 200.8 REV 5.4

Sample: HG00200-02
Name: MAINRR
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:36
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	3.53	ug/L		07/10/24 07:44	1	1.00	07/10/24 08:54	BRS	EPA 200.8 REV 5.4

Sample: HG00200-03
Name: EORR
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:37
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 08:55	BRS	EPA 200.8 REV 5.4

Sample: HG00200-04
Name: EH5
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:39
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 08:57	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-06
Name: OLVWF1
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:43
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 08:58	BRS	EPA 200.8 REV 5.4

Sample: HG00200-07
Name: OLVWF2
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:43
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 08:59	BRS	EPA 200.8 REV 5.4

Sample: HG00200-09
Name: OLVS1
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:45
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:01	BRS	EPA 200.8 REV 5.4

Sample: HG00200-10
Name: OLVS2
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:45
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:08	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-11
Name: OLHS1
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:48
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:09	BRS	EPA 200.8 REV 5.4

Sample: HG00200-13
Name: OLHS3
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:51
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:10	BRS	EPA 200.8 REV 5.4

Sample: HG00200-14
Name: OLHWF1
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:53
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:12	BRS	EPA 200.8 REV 5.4

Sample: HG00200-15
Name: OLHWF2
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:54
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:13	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-16
Name: OC1
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:55
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:15	BRS	EPA 200.8 REV 5.4
------	--------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HG00200-17
Name: OC2
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:55
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:16	BRS	EPA 200.8 REV 5.4
------	--------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HG00200-18
Name: OMR1
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:57
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:17	BRS	EPA 200.8 REV 5.4
------	--------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HG00200-19
Name: OMR2
Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:58
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:21	BRS	EPA 200.8 REV 5.4
------	--------	------	--	----------------	---	------	----------------	-----	-------------------



Pace Analytical Services, LLC
 2231 W. Altorfer Drive
 Peoria, IL 61615
 (800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-20
 Name: OMRR3
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:58
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:23	BRS	EPA 200.8 REV 5.4

Sample: HG00200-21
 Name: OWRR1
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 08:59
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:24	BRS	EPA 200.8 REV 5.4

Sample: HG00200-22
 Name: OWRR2
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:00
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:26	BRS	EPA 200.8 REV 5.4

Sample: HG00200-23
 Name: OWRR3
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:00
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:30	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
 2231 W. Altorfer Drive
 Peoria, IL 61615
 (800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-24
 Name: AGRR1
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:03
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	1.96	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:31	BRS	EPA 200.8 REV 5.4

Sample: HG00200-25
 Name: AGRR2
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:04
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:33	BRS	EPA 200.8 REV 5.4

Sample: HG00200-26
 Name: AGRR3
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:04
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:34	BRS	EPA 200.8 REV 5.4

Sample: HG00200-27
 Name: AGS1
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:06
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:38	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-28
Name: OFRR
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:11
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:40	BRS	EPA 200.8 REV 5.4

Sample: HG00200-29
Name: OWF1
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:13
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:41	BRS	EPA 200.8 REV 5.4

Sample: HG00200-30
Name: OWF2
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:13
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:42	BRS	EPA 200.8 REV 5.4

Sample: HG00200-31
Name: ICECON
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:20
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:44	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-32
Name: MSCR14
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:23
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	1.69	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:45	BRS	EPA 200.8 REV 5.4

Sample: HG00200-33
Name: MSCR16
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:23
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	1.56	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:49	BRS	EPA 200.8 REV 5.4

Sample: HG00200-34
Name: MSCR31
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:24
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	1.32	ug/L		07/10/24 07:44	1	1.00	07/10/24 09:51	BRS	EPA 200.8 REV 5.4

Sample: HG00200-35
Name: EF113
Alias: 2

Sampled: 06/24/24 10:21
Received: 06/28/24 10:00
Matrix: Drinking Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 13:03	1	1.00	07/10/24 14:21	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-36
Name: ES208
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:58
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:23	BRS	EPA 200.8 REV 5.4

Sample: HG00200-37
Name: EF208
Matrix: Drinking Water - Grab

Sampled: 06/24/24 11:00
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:25	BRS	EPA 200.8 REV 5.4

Sample: HG00200-38
Name: MSWR1
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:34
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	3.21	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:26	BRS	EPA 200.8 REV 5.4

Sample: HG00200-39
Name: MSH4
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:35
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	1.48	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:27	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
 2231 W. Altorfer Drive
 Peoria, IL 61615
 (800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-40
 Name: MSN1
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:36
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	3.94	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:29	BRS	EPA 200.8 REV 5.4

Sample: HG00200-41
 Name: MSH5
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:38
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	1.31	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:30	BRS	EPA 200.8 REV 5.4

Sample: HG00200-42
 Name: MSH6
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:39
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	3.28	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:32	BRS	EPA 200.8 REV 5.4

Sample: HG00200-43
 Name: BUSS1
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:46
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:39	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-44
Name: BUSRR1
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:47
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:40	BRS	EPA 200.8 REV 5.4

Sample: HG00200-45
Name: BUSRR2
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:47
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:41	BRS	EPA 200.8 REV 5.4

Sample: HG00200-46
Name: AGWF1
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:55
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:43	BRS	EPA 200.8 REV 5.4

Sample: HG00200-47
Name: MSRR16
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:56
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:44	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-48
Name: MSRR17
Matrix: Drinking Water - Grab

Sampled: 06/21/24 09:58
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	3.51	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:46	BRS	EPA 200.8 REV 5.4

Sample: HG00200-49
Name: MSRR14
Matrix: Drinking Water - Grab

Sampled: 06/21/24 10:02
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:47	BRS	EPA 200.8 REV 5.4

Sample: HG00200-50
Name: AGRR4
Matrix: Drinking Water - Grab

Sampled: 06/21/24 10:04
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:48	BRS	EPA 200.8 REV 5.4

Sample: HG00200-51
Name: AGS2
Matrix: Drinking Water - Grab

Sampled: 06/21/24 10:05
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:50	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-52
Name: EF120
Matrix: Drinking Water - Grab

Sampled: 06/21/24 11:23
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:51	BRS	EPA 200.8 REV 5.4

Sample: HG00200-53
Name: ES120
Matrix: Drinking Water - Grab

Sampled: 06/21/24 11:24
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 10:58	BRS	EPA 200.8 REV 5.4

Sample: HG00200-54
Name: EF121
Matrix: Drinking Water - Grab

Sampled: 06/21/24 11:26
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	3.54	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:00	BRS	EPA 200.8 REV 5.4

Sample: HG00200-55
Name: ES121
Matrix: Drinking Water - Grab

Sampled: 06/21/24 11:29
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:01	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
 2231 W. Altorfer Drive
 Peoria, IL 61615
 (800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-56
 Name: EF132
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 11:32
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:02	BRS	EPA 200.8 REV 5.4

Sample: HG00200-57
 Name: ES132
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 11:34
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:04	BRS	EPA 200.8 REV 5.4

Sample: HG00200-58
 Name: ERR121
 Matrix: Drinking Water - Grab

Sampled: 06/21/24 11:42
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:05	BRS	EPA 200.8 REV 5.4

Sample: HG00200-59
 Name: ES118
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:05
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	1.28	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:07	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-60
Name: EF118
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:07
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:08	BRS	EPA 200.8 REV 5.4

Sample: HG00200-61
Name: ES119
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:09
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:12	BRS	EPA 200.8 REV 5.4

Sample: HG00200-62
Name: EF119
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:10
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	1.01	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:14	BRS	EPA 200.8 REV 5.4

Sample: HG00200-63
Name: PACRR1
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:13
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:18	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-64
Name: PACRR2
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:14
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:19	BRS	EPA 200.8 REV 5.4

Sample: HG00200-65
Name: PACRR3
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:15
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:21	BRS	EPA 200.8 REV 5.4

Sample: HG00200-66
Name: PACRR4
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:16
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:22	BRS	EPA 200.8 REV 5.4

Sample: HG00200-67
Name: PACWF1
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:17
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:23	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-68
Name: PACWF2
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:18
Received: 06/28/24 10:00

Table with 10 columns: Parameter, Result, Unit, Qualifier, Prepared, Dilution, MRL, Analyzed, Analyst, Method. Row 1: Lead, < 1.00, ug/L, 07/10/24 07:44, 1, 1.00, 07/10/24 11:25, BRS, EPA 200.8 REV 5.4

Sample: HG00200-69
Name: ES113
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:19
Received: 06/28/24 10:00

Table with 10 columns: Parameter, Result, Unit, Qualifier, Prepared, Dilution, MRL, Analyzed, Analyst, Method. Row 1: Lead, < 1.00, ug/L, 07/10/24 07:44, 1, 1.00, 07/10/24 11:29, BRS, EPA 200.8 REV 5.4

Sample: HG00200-70
Name: EF113
Alias: 1

Sampled: 06/24/24 10:21
Received: 06/28/24 10:00
Matrix: Drinking Water - Grab

Table with 10 columns: Parameter, Result, Unit, Qualifier, Prepared, Dilution, MRL, Analyzed, Analyst, Method. Row 1: Lead, < 1.00, ug/L, 07/10/24 13:03, 1, 1.00, 07/10/24 14:20, BRS, EPA 200.8 REV 5.4

Sample: HG00200-71
Name: ES114
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:21
Received: 06/28/24 10:00

Table with 10 columns: Parameter, Result, Unit, Qualifier, Prepared, Dilution, MRL, Analyzed, Analyst, Method. Row 1: Lead, < 1.00, ug/L, 07/10/24 07:44, 1, 1.00, 07/10/24 11:30, BRS, EPA 200.8 REV 5.4



Pace Analytical Services, LLC
 2231 W. Altorfer Drive
 Peoria, IL 61615
 (800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-72
 Name: EF114
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:22
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:32	BRS	EPA 200.8 REV 5.4

Sample: HG00200-73
 Name: ES115
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:23
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:36	BRS	EPA 200.8 REV 5.4

Sample: HG00200-74
 Name: EF115
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:23
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	1.53	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:37	BRS	EPA 200.8 REV 5.4

Sample: HG00200-75
 Name: ES116
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:26
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:39	BRS	EPA 200.8 REV 5.4



ANALYTICAL RESULTS

Sample: HG00200-76
Name: EF116
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:27
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:40	BRS	EPA 200.8 REV 5.4

Sample: HG00200-77
Name: ES117
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:29
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:42	BRS	EPA 200.8 REV 5.4

Sample: HG00200-78
Name: EF117
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:30
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:46	BRS	EPA 200.8 REV 5.4

Sample: HG00200-79
Name: ES207
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:34
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	2.10	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:47	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
 2231 W. Altorfer Drive
 Peoria, IL 61615
 (800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-80
 Name: EF207
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:34
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:49	BRS	EPA 200.8 REV 5.4

Sample: HG00200-81
 Name: ES206
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:35
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:50	BRS	EPA 200.8 REV 5.4

Sample: HG00200-82
 Name: EF206
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:37
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:51	BRS	EPA 200.8 REV 5.4

Sample: HG00200-83
 Name: ES205
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:38
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:56	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
 2231 W. Altorfer Drive
 Peoria, IL 61615
 (800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-84
 Name: EF205
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:39
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:57	BRS	EPA 200.8 REV 5.4

Sample: HG00200-85
 Name: ES111
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:42
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 11:58	BRS	EPA 200.8 REV 5.4

Sample: HG00200-86
 Name: EF111
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:42
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 12:03	BRS	EPA 200.8 REV 5.4

Sample: HG00200-87
 Name: ES112
 Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:44
 Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	2.92	ug/L		07/10/24 07:44	1	1.00	07/10/24 12:04	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC
 2231 W. Altorfer Drive
 Peoria, IL 61615
 (800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-89
Name: ES131
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:46
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 12:05	BRS	EPA 200.8 REV 5.4

Sample: HG00200-90
Name: EF131
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:47
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	2.92	ug/L		07/10/24 07:44	1	1.00	07/10/24 12:07	BRS	EPA 200.8 REV 5.4

Sample: HG00200-91
Name: ES130
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:48
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 12:08	BRS	EPA 200.8 REV 5.4

Sample: HG00200-92
Name: EF130
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:49
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	1.04	ug/L		07/10/24 07:44	1	1.00	07/10/24 12:10	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: HG00200-93
Name: ES129
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:51
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 12:14	BRS	EPA 200.8 REV 5.4

Sample: HG00200-94
Name: EF129
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:52
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 12:15	BRS	EPA 200.8 REV 5.4

Sample: HG00200-95
Name: ES128
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:53
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 12:19	BRS	EPA 200.8 REV 5.4

Sample: HG00200-96
Name: EF128
Matrix: Drinking Water - Grab

Sampled: 06/24/24 10:57
Received: 06/28/24 10:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Total Metals - PIA									
Lead	< 1.00	ug/L		07/10/24 07:44	1	1.00	07/10/24 12:21	BRS	EPA 200.8 REV 5.4



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

NOTES

Specifications regarding method revisions, method modifications, and calculations used for analysis are available upon request. Please contact your project manager.

* Not a TNI accredited analyte

Certifications

CHI - McHenry, IL - 4314-A W. Crystal Lake Road, McHenry, IL 60050

TNI Accreditation for Drinking Water and Wastewater Fields of Testing through IL EPA Accreditation No. 100279
Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17556

PIA - Peoria, IL - 2231 W. Altorfer Drive, Peoria, IL 61615

TNI Accreditation for Drinking Water, Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. 100230

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17553

Drinking Water Certifications/Accreditations: Iowa (240); Kansas (E-10338); Missouri (870)

Wastewater Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

Solid and Hazardous Material Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

SPMO - Springfield, MO - 1805 W Sunset Street, Springfield, MO 65807

USEPA DMR-QA Program

STL - Hazelwood, MO - 944 Anglum Rd, Hazelwood, MO 63042

TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through KS KDHE Certification No. E-10389

TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. - 200080

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory, Registry No. 171050

Missouri Department of Natural Resources - Certificate of Approval for Microbiological Laboratory Service - No. 1050



Certified by: Chenise Lambert-Sykes, Project Manager